



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

**RBW1205G00231-
3G-1**

Job Sheet 190649



Part No: RBW1205G00231-3G-1

Job Qty: 4 pcs

Part Name: Body



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 2/12/19

Job Tracking No: SIOP

Due Date: 3/12/19

Created By: Dara Macdonald

Type: Stock

Description:

Note: DWG RBW1205G00231-3G Rev 2B IPP Rev A 18.02.14 New issue DP Verify DD

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter / Supplier Lead Time	Sign-off
					Setup Hrs	Run Hrs		
110	NV5000 - 1	4 pcs	3/12/19	3/12/19	0.00	8.00	NV5000 - 1	
							NV5000 - 2	J.C.L.
120	QC 2	4 pcs	3/12/19	3/12/19	0.00	0.00	QC 2 - 1	
							QC 2 - 12	
							QC 2 - 14	
							QC 2 - 17	
							QC 2 - 19	
							QC 2 - 2	
							QC 2 - 20	
							QC 2 - 22	
							QC 2 - 23	
							QC 2 - 25	
							QC 2 - 32	J.C.L. 19-07-19
							QC 2 - 33	
							QC 2 - 35	
							QC 2 - 39	
							QC 2 - 4	
							QC 2 - 40	
							QC 2 - 44	
							QC 2 - 45	
							QC 2 - 48	
							QC 2 - 49	
							QC 2 - 50	
							QC 2 - 51	
							QC 2 - 52	
							QC 2 - 54	
							QC 2 - 56	
							QC 2 - 57	
							QC 2 - 62	
							QC 2 - 63	



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL.: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Container No: S162813



Part: RBW1205G00231-3G-1

Job No: 190649

Serial No/Batch: S162813

Revision: 2B

Inspector:

Exp Date:

Instructions:

Date: 03/14/19

Plex 2/12/19 1:50 PM Dart.Macdonald.Dara

				QC 2 - 8	
				QC 2 - 66	
				QC 2 - 64	
130	QC 8	4 pcs	3/12/19	0.00 0.00	QC 8 - 12
					QC 8 - 14
					QC 8 - 17
					QC 8 - 20
					QC 8 - 25
					QC 8 - 3
					QC 8 - 32
					QC 8 - 33
					QC 8 - 35
					QC 8 - 39
					QC 8 - 4
					QC 8 - 44
					QC 8 - 45
					QC 8 - 49
					QC 8 - 58
					QC 8 - 8
					QC 8 - 9
					QC 8 - 68
					QC 8 - 67
					QC 8 - 1 (A)
					QC 8 - 47
150	Outsource - 4 - Anodize	4 pcs	3/12/19		ATG001-VC 8
160	Packaging 2-1 - Receive - B4B	4 pcs	3/12/19	0.00 0.00	Packaging 2 - 1 - B4B
					Packaging 2 - 2 - B4B
					Packaging 2 - 3 - B4B
					Packaging 2 - 5 - B4B
					Packaging 2 - 4 - B4B
					Packaging 2 - 6 - B4B
					Packaging 2 - 7 - B4B
					Packaging 2 - 8 - B4B
					Packaging 2 - 9 - B4B
					Packaging 2 - 10 - B4B
					Packaging 2 - 11 - B4B
					Packaging 2 - 12 - B4B
					Packaging 2 - 13 - B4B
					Packaging 2 - 14 - B4B
					Packaging 2 - 15 - B4B
					Packaging 2 - 16 - B4B
					Packaging 2 - 17 - B4B
					Packaging 2 - 18 - B4B
					Packaging 2 - 19 - B4B
					Packaging 2 - 20 - B4B
					Packaging 2 - 21 - B4B
					Packaging 2 - 22 - B4B
					Packaging 2 - 23 - B4B
					Packaging 2 - 24 - B4B
					Packaging 2 - 25 - B4B
					Packaging 2 - 26 - B4B
					Packaging 2 - 27 - B4B
					Packaging 2 - 28 - B4B
					Packaging 2 - 29 - B4B
					Packaging 2 - 30 - B4B
					Packaging 2 - 31 - B4B
					Packaging 2 - 32 - B4B
					Packaging 2 - 33 - B4B
					Packaging 2 - 34 - B4B

7/19/03/18

03/10/2019 PL

JW

JW 19-03-21

170 QC 6	4 pcs	3/12/19	0.00 0.00	Packaging 2 - 35 - B4B	
				Packaging 2 - 36 - B4B	
				QC 6 - 42	DAS
				QC 6 - 9	MAR 25 2019 40
				QC 6 - 68	9-89 DAS
180 Packaging 3-1 - Stock - B4B	4 pcs	3/12/19	0.00 0.00	QC 6 - 61	68
				Packaging 3 - 1 - B4B	9-89
				Packaging 3 - 2 - B4B	
				Packaging 3 - 3 - B4B	
				Packaging 3 - 4 - B4B	
				Packaging 3 - 5 - B4B	
				Packaging 3 - 6 - B4B	DAS
				Packaging 3 - 7 - B4B	28
				Packaging 3 - 8 - B4B	9-89
				Packaging 3 - 9 - B4B	
				Packaging 3 - 10 - B4B	
				Packaging 3 - 11 - B4B	
				Packaging 3 - 12 - B4B	
				Packaging 3 - 13 - B4B	
				Packaging 3 - 14 - B4B	
				Packaging 3 - 15 - B4B	
				Packaging 3 - 16 - B4B	
				Packaging 3 - 17 - B4B	
				Packaging 3 - 18 - B4B	
				Packaging 3 - 19 - B4B	
				Packaging 3 - 20 - B4B	
				Packaging 3 - 21 - B4B	
				Packaging 3 - 22 - B4B	
				Packaging 3 - 23 - B4B	
				Packaging 3 - 24 - B4B	
				Packaging 3 - 25 - B4B	
				Packaging 3 - 26 - B4B	
				Packaging 3 - 27 - B4B	
				Packaging 3 - 28 - B4B	
				Packaging 3 - 29 - B4B	
				Packaging 3 - 30 - B4B	
				Packaging 3 - 31 - B4B	
				Packaging 3 - 32 - B4B	
				Packaging 3 - 33 - B4B	
				Packaging 3 - 34 - B4B	
				Packaging 3 - 35 - B4B	
				Packaging 3 - 36 - B4B	DAS
190 QC 21 - SA	4 pcs	3/12/19	0.00 0.00	QC 21 - SA - 21	21
				QC 21 - SA - 70	MAR 26 2019
				QC 21 - SA - 53	9-89

Part Op 110 - NV5000-1 (MORI SEIKI VERTICAL MACHINE #1) 1- Cut blank at 2.5" 1-Machine as per folio FB871 FOLIO REV:
 Descriptions: AA DWG REV: 22 2-Debur
 120 - (QC2- Inspect parts off machine FAI/FAIB) Engrave T/N and/or P/N number using Marktronic engraver as per DWG.
 130 - (QC8- Inspect parts - second check)
 150 - Issue P/O to ATG: _____ - ANODIZE COLOR CLEAR, PER IAW MIL-A-8625F TYPE 2 CLASS 1 WATER
 SEAL -Certificate of Conformity is required
 160 - (Receive & Inspect for Damage & Mat'l Certs)
 170 - (QC6- All purchased or subcontracted products)
 180 - (Identify as per dwg & Stock Location: _____)
 190 - (QC21- Final Inspection - Work Order Release)

Job BOM



Part / Item	Component Name	Quantity	Operation	Container
M6061T6B1.250X1.250	6061-T6 Bar 1.25 X 1.25	.8000 ft (.2 ea)	110-NV5000 - 1	5122955

MAT
used
0.85"

Job Allocations				
Operation	Component Part	Required	Inventory	Allocated
110-NV5000 - 1	M6061T6B1.250X1.250	1	13	0
Part Specifications				
Specifications could not be found.				

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
1	ADDED PART -17, -1 REMOVED 7/16-20 THREADED NIPPLE, MOVED RELIEF VALVE .100.	2/24/2011	JAG	
2	-1 CH'D TO USE PORTING TOOL 2 PLACES.	12/20/2011	JAG	
2A	-1 ADDED ENGRAVE NOTE PER S.E.	3/28/2012	RJC	SE
2B	-1 DELETED ∇ $\varnothing$.37 X 90°, NEAR SIDE CALLOUT FROM 5/16-24 ∇ .50 BECAUSE 5/16-24 PORTING TOOL MAKES THIS FEATURE	1/21/2014	DPD	GE



FUNCTION: PART OF HELICOPTER SERVICING KIT T/N 3G1205G00131.
USED IN CONJUNCTION WITH A MANUAL HYDRAULIC OIL PUMP TO
RESTORE THE HYDRAULIC OIL LEVEL INTO THE M/R DAMPER

ORIGINAL No. REF
RBW1205G00231-3G = 3G1205G00231
RBW1205G00213-3G-1 = 3G1205G00651
RBW1205G00231-3G-3 = 3G1205G00551
DO NOT USE, FOR REGERENCE ONLY

ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	1	BODY	6061	1-1/8 X 1-3/8 X 2-3/16	2
			-3	1	TUBE	6061	$\varnothing$ 3/4 X 1-1/2	3
			-5	1	AN PRESSURE RELIEF PLUG	ALUMINUM	AIRCRAFT SPRUCE #AN814-2D (MODIFIED)	4
			-7	1	WASHER	NYLON	$\varnothing$ 1/2 X 3/16	5
		B/O	-9	2	O-RING	VITON	ID 1/4 X 1/16 WIDTH #V75-010	1
		B/O	-11	1	O-RING	VITON	ID 7/16 X 1/16 WIDTH #V75-013	1
		B/O	-13	1	O-RING	VITON	ID 5/16 X 1/16 WIDTH #V75-011	1
		B/O	-15	2	ROLL PIN	STEEL	$\varnothing$ 2mm X 18mm MCMaster-CARR #91611A108	1
		B/O	-17	1	FITTING	ALUMINUM	MS24392D6	1



RED BARN MACHINE

TITLE
MAIN ROTOR DAMPER OIL ADAPTER

DWG NO. RBW1205G00231-3G

REV
2B

MAT'L UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES






DRAWN BY: PERRITT
APPROVED: D Weil
HEAT TREAT FINISH:
SPEC:

1. BREAK ALL SHARP EDGES .015 x 45°
OR .015R
2. DIMENSIONAL LIMITS APPLY AFTER PLATING

USED ON MODEL
AGUSTA
SCALE 1:2 **DATE** 2/23/2011 **SHEET 1 OF 5**

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
1	-1 REMOVED 7/16-20 THREADED NIPPLE, MOVED RELIEF VALVE .100.	2/24/2011	JAG	
2	-1 CH'D TO USE PORTING TOOL 2 PLACES.	12/20/2011	JAG	
2A	-1 ADDED ENGRAVE NOTE PER S.E.	3/28/2012	RJC	SE
2B	-1 DELETED $\checkmark \phi .37 \times 90^\circ$, NEAR SIDE CALLOUT FROM 5/16-24 $\checkmark .50$ BECAUSE 5/16-24 PORTING TOOL MAKES THIS FEATURE	1/21/2014	DPD	GE







SECTION A-A
SCALE 1 : 1

(-1)
BODY

RED BARN MACHINE	
TITLE MAIN ROTOR DAMPER OIL ADAPTER	
DWG NO. RBW1205G00231-3G-1	REV 2B
MAT'L 6061	DRAWN BY: PERRITT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005	HEAT TREAT
.XX ± .01	FINISH CLEAR ANODIZE
X ± .1	SPEC MIL-A-8625F, TYPE II, CLASS I
1. BREAK ALL SHARP EDGES .015 x 45°	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AGUSTA
SCALE 1:1	DATE 2/23/2011
SHEET 2 OF 5	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED






③

TUBE

RED BARN MACHINE	
TITLE MAIN ROTOR DAMPER OIL ADAPTER	
DWG NO. RBW1205G00231-3G-3	REV 2B
MAT'L 6061	DRAWN BY: PERRITT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005	HEAT TREAT
.XX ± .01	FINISH CLEAR ANODIZE
.X ± .1	SPEC MIL-A-8625, TYPE II, CLASS I
1. BREAK ALL SHARP EDGES .015 x 45°	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AGUSTA
SCALE 2:1	DATE 2/23/2011
SHEET 3 OF 5	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED






(-5)
PLUG

 RED BARN MACHINE	
TITLE MAIN ROTOR DAMPER OIL ADAPTER	
DWG NO. RBW1205G00231-3G-5	REV 2B
MAT'L ALUMINUM	DRAWN BY: PERRITT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005	HEAT
.XX ± .01	TREAT
.X ± .1	FINISH
FRACTIONS ± 1/32	SPEC
ANGLES ± 5°	USED ON MODEL
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	AGUSTA
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE 4:1	DATE 2/23/2011
SHEET 4 OF 5	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED



(-7)

WASHER

 RED BARN MACHINE	
TITLE MAIN ROTOR DAMPER OIL ADAPTER	
DWG NO. RBW1205G00231-3G-7	REV 2B
MAT'L NYLON	DRAWN BY: PERRITT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX $\pm$.005	HEAT
.XX $\pm$.01	TREAT
.X $\pm$.1	FINISH
FRACTIONS $\pm$ 1/32	SPEC
ANGLES $\pm$ 5°	
1. BREAK ALL SHARP EDGES .015 x 45°	
OR .015R	
2. DIMENSIONAL LIMITS APPLY AFTER	USED ON MODEL
PLATING	AGUSTA
SCALE 4:1	DATE 2/23/2011
SHEET 5 OF 5	



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

ORDER ACKNOWLEDGEMENT

CUSTOMER					ORDER				
Customer Code: CSELE01 Sold To: Select Helicopter Services Ltd #105-151 Commercial Drive Kelowna BC V1X 7W2 Canada Phone: 250 765 3317 Fax: (866) 389-9878 Ship To: Select Helicopter Services Ltd #105-151 Commercial Drive Kelowna BC V1X 7W2 Canada Phone: (250) 765-3317 Fax: (866) 389-9878					Order No : 13605 Date: 2/12/19 Ship-To Contact: Marty Luksts Email: info@selecthelicopter.com Cust PO No: P14266 FOB: Shipping Point Ship Via: Freight Terms: PrePaid Terms: Net 30 INCO Terms: Ex Works Order Taker: Caitlin Crooks Order Taker Phone: Order Taker Email: ccrooks@dartaero.com				
Line No	Due Date	Ship Date	Part	Description/Note	Quantity	Unit	Price	Unit	Extended Price
1	3/6/19	3/6/19	648.4709	SWA10A Overhaul Provisions	1	pcs	\$531.00USD	pcs	\$531.00 USD
2	3/6/19	3/6/19	648.4703	C10 Overhaul Provisions	1	pcs	\$746.00USD	pcs	\$746.00 USD
Sub Total									\$1,277.00
Tax									\$166.01
Sub Total									\$1,443.01 USD
Grand Total									\$1,443.01 USD

ORDER NOTES

FEDEX GROUND ACCT#2862-4256-1
DO NOT INSURE SHIPMENTS

Remit to: DART Aerospace Ltd., 1270 Aberdeen Street, Hawkesbury, Ontario K6A 1K7 Canada

Tel: 613 632 5200

Fax: 613 632 5246

accounting@dartaero.com

GST/HST 10127 2607

Note: A minimum 15% restocking fee is applicable. Custom items are non-refundable. Full warranty details are available at www.dartaerospace.com

International / US Wires:

Swift Code: CHASUS33 Bank Routing #: 021000021 Account #: 133281000

Bank Name: JPMorgan Chase Bank 201 St. Charles Ave., New Orleans, LA USA 70170

Account Name: DART Aerospace Ltd.

Notification October 2018: Our banking information has remained unchanged

Entered: _____ Date: _____



WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____

Route update only ☐

Job: _____ Part No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐	DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐			
Date :	Sequence #:	QTY Affected :		MRB (QSI042)	
Description Work Order Deviation			Disposition		
			Completed By		
			Lead hand / Supervisor		
			QC / QA Coordinator		
Root Cause Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Preservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☐		FAULT CATEGORY ☐ Pressure/Forced ☐ Bending ☐ Crushing ☐ Cracks ☐ Crimp/Kink/Ripple/Wave/Twist ☐ Marks/Chatter ☐ Mislabeled ☐ Contamination ☐ Misaligned/off center ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Incomplete/Unclear Instructions ☐ Drill Holes ☐ Fit/Function ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain Direction ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set/Set-up ☐ Positioned Wrong ☐ Outside Tolerance ☐ Drawing ☐ Finish ☐ Part Lost/Missing ☐ Misread			
Other/Details:					



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER **PO042911**



Supplier: GRO002-VC
Group Altech
2455 Halpern
St Laurent
QC
H4S 1N9 Canada
Phone: 514-335-3666
Fax: 514-335-3868

Attention: Grenon, Sylvie

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

PO No: PO042911

PO Date: 3/18/19

Due Date: 3/25/19

Purchase Order

Revision:

Revision Date:

Ship-To Contact: Phone:

Via: Ground

Pymt Terms: Net 60

Freight Terms:

Special Comments:

Items											
Line Item	Job	Part	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
1	190657	RBW6705G02431-3G-1	Lever Rigging Fork Outsource process-Anodize per QSI017 4.1.10.1 - Issue P/O to ATG: _____ - ANODIZE COLOR CLEAR, PER IAW MIL-A-8625F TYPE 2 CLASS 1 WATER SEAL -Certificate of Conformity is required	Firmed	-	3/25/19	10 pcs	0 pcs	10 pcs	\$6.00/pcs	\$60.00
Line Item Note ** NEED BACK MARCH 25,2019 **											
2	190508	RBW6205G09132-3G-3	Block Outsource process-Anodize per QSI017 4.1.10.1 - Issue P/O to ATG: _____ - ANODIZE COLOR CLEAR, PER IAW MIL-A-8625F TYPE 2 CLASS 1 WATER SEAL -Certificate of Conformity is required	Firmed	-	3/25/19	6 pcs	0 pcs	6 pcs	\$6.00/pcs	\$36.00
Line Item Note ** NEED BACK MARCH 25,2019 **											
3	190649	RBW1205G00231-3G-1	Body -Issue P/O to ATG: _____ - ANODIZE COLOR CLEAR, PER IAW MIL-A-8625F TYPE 2 CLASS 1 WATER SEAL -Certificate of Conformity is required	Firmed	-	3/25/19	4 pcs	0 pcs	4 pcs	\$6.00/pcs	\$24.00
Line Item Note ** NEED BACK MARCH 25,2019 **											
4	191830	D5156-5	Face Plate : Various STC's (Outsource process-Anodize per QSI017 4.1.10.1) Anodize Black per MIL-A-8625F TYPE I OR IB OR IC OR II OR IIB CLASS 2	Firmed	-	3/25/19	8 pcs	0 pcs	8 pcs	\$15.00/pcs	\$120.00
Line Item Note ** NEED BACK MARCH 25,2019 **											
Grand Total:											\$240.00



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER PO042911



Order Notes

Procurement Quality Clauses

A005 right of entry
A012 chemical and physical test report
A016 personnel qualification
A017 raw material identification (as applicable)

A022 Apical Processing
A024 process certifications
A026 certification of material conformance

A041 quality management system
A042 dart notification by supplier
A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 3/19/19 11:16 AM dart.Lussier.Patrick



Certificat de Conformité / Certificate of Compliance

(017763-1)

2455, Rue Halpern | Saint-Laurent | Québec | H4S 1N9
 Tel: 514-335-3666 Fax: 514-335-3868
 www.groupealtech.com

Bon de Livraison / Packing Slip

017763- 1

Livré à / Ship to

DART AEROSPACE LTD

1270 ABERDEEN STREET
 HAWKESBURY, ON, K6A1K7
 CANADA

Tel.: 613-632-5200 Fax.:

Client / Customer:

DART AEROSPACE LTD

1270 ABERDEEN STREET
 HAWKESBURY, ON, K6A1K7
 CANADA

BUYER:

Date expédition Ship date		Créé Par Generated By	Transport / No de Compte Courier / Acc. No.	Bon de commande Client Customer Purchase Order No.					
20-Mar-2019		Jessie Boisvert		P0042911					
#Ligne Line#	No. de Série / # Pièce Part Number / Line Item Details Job # / Ref #	Description pièce(s)	CATG. U/M	Comm. /Ordered	Exp/ Shipped	Qté NC/ NC Qty	Qté Scrap/	À venir/ Back Order	
1	RBW6705G02431-3G-1 ✓ Rev.	RBW6705G02431-3G-1 01 -ANO-CLEAR [ANODIZE CLEAR] MIL-8625F TYPE 2 CLASS 1	ANODIZE CH	10	10 ✓	0	0	0	
2	RBW6205G09132-3G-3 ✓ Rev.	RBW6205G09132-3G-3 01 -ANO-CLEAR [ANODIZE CLEAR] MIL-8625F TYPE 2 CLASS 1	ANODIZE CH	6	6 ✓	0	0	0	
3	RBW1205G00231-3G-1 ✓ Rev. <i>9C</i>	RBW1205G00231-3G-1 01 -ANO-CLEAR [ANODIZE CLEAR] MIL-8625F TYPE 2 CLASS 1	ANODIZE CH	4	4 ✓	0	0	0	

Notes Additionnelles / Additional Notes

Epaisseur réelle
Actual Thickness
Inspecteur Qualité
Quality Inspector
Réçu par
Received By

Nous certifions que les pièces énumérées ci-dessus ont été traitées en conformité avec votre commande et vos spécifications et rencontrent les exigences.
 Notre responsabilité financière et légale ne sera pas supérieure au montant de la facture issue.

We hereby certify that the parts listed above have been process in accordance with your purchase order and specifications and are in conformance with your requirements.
 Our financial and legal responsibility will not be higher than the amount of invoice.